





# DK-840

Page 1 of 9

Rev. Date: 06/01/2015

## SAFETY DATA SHEET

Hazards	Personal Protection	Transport Information
	 	Not classified

## 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

### 1.1. Product Identifier:

Product Name: **DK-840**  
Type of product: Mixture

### 1.2. Relevant identified use of the substance or mixture and uses advised against

Product use: Processing aid for industrial applications  
Uses advised against: None

### 1.3. Details of the supplier of the safety data sheet

Supplier: **Der-Kel LLC**  
**P.O. Box 90019**  
**3012 Freeman Ave**  
**Chattanooga, TN 37406**

Telephone: 423-622-9808  
Fax: 423-622-9840  
E-mail address: rickholder@derkel.com

### 1.4. Emergency telephone number

24-hr. emergency number: **CHEM-TEL: (800) 255-3924**

## 2. HAZARD IDENTIFICATION

### 2.1. Classification of the substance or mixture

Classification according to paragraph (d) of Regulation 29 CFR 1910.1200: Not classified

### 2.2. Label Elements

Labelling according to paragraph (f) of Regulation 29 CFR 1910.1200

Hazard symbol(s): None  
Signal word: None  
Hazard statement(s): None  
Precautionary statement(s): None

### 2.3. Other Hazards

Spills produce extremely slippery surfaces.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

---

#### 3.1. Substances

Not applicable, this product is not a substance.

#### 3.2. Mixtures

##### Hazardous Components

Distillates (petroleum), hydrotreated light

Concentration:	20 – 30%
CAS Number:	64742-47-8
Classification according to paragraph (d) of Regulation 29 CFR 1910.1200:	Asp. Tox. 1;H304

Notes: Does not result in classification of the mixture if the kinematic viscosity is greater than 20.5 mm<sup>2</sup>/s measured at 40° C.

Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched

Concentration:	< 3%
CAS Number:	69011-36-5
Classification according to paragraph (d) of Regulation 29 CFR 1910.1200:	Acute Tox. 4;H302 Eye Dam. 1;H318

For explanation of abbreviations, see Section 16.

### 4. FIRST-AID MEASURES

---

#### 4.1. Description of first aid measures

Inhalation:	Move to fresh air. No Hazards which require special first aid measures.
Skin contact:	Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. In case of persistent skin irritation, consult a physician.
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.
Ingestion:	Rinse mouth with water. <b>DO NOT</b> induce vomiting. Call a physician or poison control center immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

None under normal use.

#### 4.3. Indications of any immediate medical attention and special treatment needed.

None reasonably foreseeable.

#### Other information

None

### 5. FIRE-FIGHTING MEASURES

---

#### 5.1. Extinguishing media

Suitable extinguishing media:	Water. Water spray. Foam. Carbon dioxide (CO <sub>2</sub> ). Dry powder.
Unsuitable extinguishing media:	None

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Ammonia. Carbon oxides (CO<sub>x</sub>). Nitrogen oxides (NO<sub>x</sub>). Hydrogen chloride. Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

## 5.3. Advice for fire-fighter.

Protective measures: Wear self-contained breathing apparatus and protective suit.  
Other information: Spills produce extremely slippery surfaces.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: **DO NOT** touch or walk through spilled material. Spills produce extremely slippery surfaces.  
Protective equipment: Wear adequate personal protective equipment (see Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION).  
Emergency procedures: Keep people away from spill/leak.

### 6.2. Environmental Precautions

**DO NOT** contaminate water.

### 6.3. Method and materials for containment and cleaning up

Small spills: **DO NOT** flush with water. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.  
Large spills: **DO NOT** flush with water. Dam up. Clean up promptly by scoop or vacuum.  
Residues: Soak up with inert absorbent material. After cleaning, flush away traces with water.

### 6.4 Reference to other sections

Section 7: HANDLING AND STORAGE; Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION, Section 13: DISPOSAL CONSIDERATIONS.

---

## 7. HANDLING AND STORAGE

---

### 7.1. Precautions for safe handling

Avoid contact with skin and eyes. Renders surfaces extremely slippery when spilled. When handling **DO NOT** eat, drink or smoke.

### 7.2. Conditions for safe storage

Keep away from heat and sources of ignition. Freezing will affect the physical condition and may damage the material. Incompatible with oxidizing agents.

### 7.3. Specific end use(s)

None

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

### 8.1. Control parameters

Occupational exposure limits: Distillates (petroleum), hydrotreated light

Product Name:

**DK-840**

Rev. Date: 06/01/2015

**8.2. Exposure controls**

Appropriate engineering controls: Ensure adequate ventilation, especially in confined areas. Use local exhaust if misting occurs.  
Natural ventilation is adequate in absence of mists.

Individual protection measures, such as personal protective equipment

- a) Eye/face protection: Safety glasses with side-shields
- b) Skin protection: Wear coveralls and/or chemical apron and rubber footwear where physical contact can occur.
- c) Hand protection: PVC or other plastic material gloves
- d) Respiratory protection: No personal respiratory protective equipment normally required.
- e) Additional advice: Wash hands and face before breaks and immediately after handling the product. Wash hands before breaks and at the end of workday.

Environmental exposure controls: **DO NOT** allow uncontrolled discharge of product into the environment.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Appearance:	viscous liquid, milky
Odor:	aliphatic
Odor threshold:	no data available
pH:	4 - 6 @ 5 g / L
Melting point/range (° C):	< 5° C
Initial boiling point and boiling range:	> 100° C
Flash point:	does not flash
Evaporation rate	no data available
Flammability (solid, gas):	not applicable
Upper/lower flammable or explosive limits:	not expected to create explosive atmospheres
Vapor pressure:	2.3 kPa @ 20° C
Relative density:	1.0 – 1.1
Solubility(ies):	completely miscible
Partition coefficient:	not applicable
Autoignition temperature:	not applicable
Decomposition temperature:	> 150° C
Viscosity:	>20.5 mm <sup>2</sup> /s @ 40° C
Explosive properties:	not expected to be explosive based on the chemical structure
Oxidizing properties:	not expected to be oxidizing based on the chemical structure

**9.2. Other information**

None

**10. STABILITY AND REACTIVITY****10.1. Reactivity**

Stable under recommended storage conditions.

**10.2. Chemical stability**

Stable under recommended storage conditions

**10.3. Possibility of hazardous reactions**

Oxidizing agents may cause exothermic reactions.

**10.4. Conditions to avoid**

Protect from frost, heat and sunlight.

**10.5. Incompatible materials**

Oxidizing agents

**10.6. Hazardous decomposition products**

Thermal decomposition may produce: hydrogen chloride gas, nitrogen oxides (NO<sub>x</sub>), carbon oxides (CO<sub>x</sub>) Ammonia. Hydrogen cyanide (hydrocyanic acid).

**11. TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects**Information on the product as supplied:

Acute Oral:	LD <sub>50</sub> / oral / rat > 5000 mg / kg
Acute Dermal:	LD <sub>50</sub> / dermal / rat > 5000 mg / kg
Inhalation:	The product is not expected to be toxic by inhalation.
Skin corrosion / irritation:	Non-irritating to skin.
Serious eye damage / eye irritation:	May cause eye irritation with susceptible persons.
Respiratory / skin sensitization:	Not sensitizing.
Mutagenicity:	Not mutagenic.
Carcinogenicity:	Not carcinogenic.
Reproduction toxicity:	Nor toxic for reproduction.
STOT – single exposure:	No known effects.
STOT – repeated exposure:	No known effects.
Aspiration hazard:	Due to the viscosity, this product does not present an aspiration hazard.

Relevant information on the hazardous components:Distillates (petroleum), hydrotreated light

Acute oral toxicity:	LD <sub>50</sub> / oral / rat > 5000 mg / kg (OECD 401)
Acute dermal toxicity:	LD <sub>50</sub> / dermal / rabbit > 5000 mg / kg (OECD 402)
Acute inhalation toxicity:	LC <sub>50</sub> / inhalation / 4hr / rat = 4951 mg / m <sup>3</sup> (OECD 403)
Skin corrosion / irritation:	Not irritating. (OECD 404) Repeated exposure may cause skin dryness or cracking.
Serious eye damage/eye irritation:	Not irritating. (OECD 405)
Respiratory / skin sensitization:	By analogy with similar products, this product is not expected to be sensitizing. (OECD 406)
Mutagenicity:	Not mutagenic. (OECD 471, 473, 474, 476, 478, 479)
Carcinogenicity:	Carcinogenicity study in rats (OECD 451): Negative
Reproductive toxicity:	By analogy with similar substances, this substance is not expected to be toxic for reproduction. NOAEL / rat = 300 ppm (OECD 421)
STOT – single exposure:	No known effects.
STOT – repeated exposure:	NOAEL / oral / rat / 90 days ≥ 3000 mg/kg/day (OECD 408) (Based on results obtained from tests on analogous products).
Aspiration hazard:	May be fatal if swallowed and enters airways.

Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched

Acute oral toxicity:	LD <sub>50</sub> / oral / rat = 200 – 300 mg / kg
Acute dermal toxicity:	LD <sub>50</sub> / dermal / rabbit > 2000 mg / kg

Acute inhalation toxicity: No data available.

Page 6 of 9

Product Name: **DK-840**

Rev. Date: 06/01/2015

Skin corrosion / irritation: Not irritating,  
Serious eye damage / eye irritation: Causes serious eye irritation.  
Respiratory / skin sensitization: The results of testing on guinea pigs showed this material to be non-sensitizing.  
Mutagenicity: Not mutagenic.  
Carcinogenicity: Not carcinogenic.  
Reproductive toxicity: Two-Generation Reproduction Toxicity (OECD 416)  
NOAEL / rat > 250 mg / kg / day Prenatal Development Toxicity Study (OECD 414)  
NOAEL / Maternal toxicity / rat > 50 mg / kg / day  
NOAEL / Developmental toxicity / rat > 50 mg / kg / day  
STOT – single exposure: No known effects.  
STOT – repeated exposure: NOAEL / oral / rat / 600 days = 50 mg/kg/day  
Aspiration hazard: No known effects.

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Information on the product as supplied:

Acute toxicity to fish: LC<sub>50</sub> / *Fish* / 96 hours = 10 - 100 mg / L (Estimated)  
Acute toxicity to invertebrates: EC<sub>50</sub> / *Daphnia* / 48 hours = 10 - 100 mg / L (Estimated)  
Acute toxicity to algae: Algal inhibition tests are not appropriate. The flocculating characteristics of the product interfere directly in the test medium preventing homogenous distribution which invalidates the test.  
Chronic toxicity to fish: No data available.  
Chronic toxicity to invertebrates: No data available.  
Chronic toxicity to algae: No data available.  
Effects on terrestrial organisms: No data available. Readily biodegradable, exposure to soil is unlikely.  
Sediment toxicity: No data available. Readily biodegradable, exposure to sediment is unlikely.

#### Relevant information on the hazardous components

##### Distillates (petroleum), hydrotreated light

Acute toxicity to fish: LC<sub>0</sub> / *Oncorhynchus mykiss* / 96 hours > 1000 mg / L (OECD 203)  
Acute toxicity to invertebrates: EC<sub>0</sub> / *Daphnia magna* / 48 hours > 1000 mg / L (OECD 202)  
Acute toxicity to algae: IC<sub>0</sub> / *Pseudokirchneriella subcapitata* / 72 hours > 1000 mg / L (OECD 201)  
Chronic toxicity to fish: NOEC / *Oncorhynchus mykiss* / 28 days > 1000 mg / L  
Chronic toxicity to invertebrates: NOEC / *Daphnia magna* / 21 days > 1000 mg / L  
Toxicity to microorganisms: EC<sub>50</sub> / *Tetrahymena puriformis* / 48 h > 1000 mg / L  
Effects on terrestrial organisms: No data available.  
Sediment toxicity: No data available. Readily biodegradable, exposure to sediment is unlikely

##### Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched

Acute toxicity to fish: LC<sub>50</sub> / *Cyprinus carpio* / 96 hours = 1 - 10 mg / L (OECD 203)  
Acute toxicity to invertebrates: EC<sub>50</sub> / *Daphnia* / 48 hours = 1 - 10 mg / L (OECD 202)  
Acute toxicity to algae: IC<sub>50</sub> / *Desmodesmus subspicatus* / 72 hours = 1 - 10 mg / L (OECD 201)  
Chronic toxicity to fish: No data available.  
Chronic toxicity to invertebrates: No data available.  
Toxicity to microorganisms: EC<sub>10</sub> / activated sludge / 17 h > 10000 mg / L (DIN 38412-8)  
Effects on terrestrial organisms: No data available.  
Sediment toxicity: No data available.

### 12.2. Persistence and degradability

#### Information on the product as supplied:

Degradation: Readily biodegradable.

Page 7 of 9

Product Name: **DK-840**

Rev. Date: 06/01/2015

---

Hydrolysis: At natural pHs (> 6) the polymer degrades due to hydrolysis to more than 70% in 28 days. The hydrolysis products are not harmful to aquatic organisms.

Photolysis: No data available.

#### Relevant information on the hazardous components

##### Distillates (petroleum), hydrotreated light

Degradation: Readily biodegradable.

Hydrolysis: Does not hydrolyze.

Photolysis: No data available

##### Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched

Degradation: Readily biodegradable. > 60% / 28 days (OECD 301 B)

Hydrolysis: Does not hydrolyze.

Photolysis: No data available

### **12.3. Bioaccumulation**

#### Information on the product as supplied:

This product is not expected to bioaccumulate.

Partition coefficient (Log Pow): Not applicable.

Bioconcentration factor (BCF): No data available.

#### Relevant information on the hazardous components

##### Distillates (petroleum), hydrotreated light

Partition coefficient (Log Pow): 3 - 6

Bioconcentration factor (BCF): No data available.

##### Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched

Partition coefficient (Log Pow): > 3

Bioconcentration factor (BCF): No data available.

### **12.4. Mobility in soil**

#### Information on the product as supplied

No data available.

#### Relevant information on the hazardous components

##### Distillates (petroleum), hydrotreated light

KOC: No data available.

##### Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched

KOC: > 5000

### **12.5. Other adverse effects**

None

### 13. DISPOSAL CONSIDERATIONS

#### 13.1. Water treatment methods

Waste from residues / unused products: Dispose of in accordance with local regulations.  
 Contaminated packaging: If recycling is not practicable, dispose of in compliance with local regulations.  
 Recycling: Store containers and offer for recycling of material when in accordance with the local regulations.

### 14. TRANSPORTATION INFORMATION

Land transport (DOT): Not classified.  
 Sea transport (IMDG): Not classified.  
 Air transport (IATA): Not classified.

### 15. REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Information on the product as supplied:

TSCA Chemical Substances Inventory: All components of this product are either listed on the inventory or are exempt from listing.


##### US SARA Reporting Requirements

SARA Section 311 / 312 Hazard Class: Not concerned.  
 RCRA Status: Not RCRA hazardous.  
 California Proposition 65 Information: WARNING! This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm, Acrylamide.

### 16. OTHER INFORMATION

Contact person: Product Manager

##### NFPA and HMIS® Ratings:



**NFPA:**  
 Health: 0  
 Flammability: 1  
 Reactivity: 0  
 Special:

**HMIS®:**  
 Health: 0  
 Flammability: 1  
 Reactivity: 0  
 PPE Code: B

##### Other Information

Creation Date: 07/30/02  
 Revision(s): 07/22/10, 02/25/15- updates  
 Current Revision: 06/01/15 – updates. Supersedes previous issues.

##### Key or legend to abbreviations and acronyms used in the safety data sheet

Abbreviations: Acute Tox. 4 = Acute Toxicity Category Code 4  
 Asp. Tox. 1 = Aspiratory hazard Category Code 1



Product Name:

**DK-840**

Rev. Date: 06/01/2015

---

H-Phrases:               H302 – Harmful if swallowed.  
                              H304 – May be fatal if swallowed and enters airways.  
                              H318 – Causes serious eye damage.

This SDS was prepared in accordance with the following:

Federal Regulation 29 CFR 1910.1200

Prepared by:               Regulatory Dept.

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

---